


Laminati per suole a tre denti

Track shoes - Triple grouser



PROFILO PROFILE	N' Denti	L (mm)	a (mm)	b (mm)	c (mm)	d (mm)	e (mm)	h (mm)	Sez (cm ²)	Massa (Kg/m)
IS02	3	163,0	9,0	18,0	15,0	15,0	15,0	27,0	21,96	17,24
IS06/2	3	186,0	10,0	22,0	15,0	15,0	15,0	32,0	28,63	22,47
IS17	3	199,0	8,5	25,0	17,0	11,0	17,0	33,5	29,00	22,76
IS24/1	3	222,5	12,5	28,0	20,0	12,0	19,0	40,5	41,42	32,52
IS24/2	3	219,0	12,0	26,0	20,0	14,0	19,0	38,0	39,98	31,38
IS25	3	145,0	8,0	18,0	10,0	8,0	10,0	26,0	16,77	13,16
IS32/3	3	199,0	11,0	25,0	17,0	11,0	17,0	36,0	33,91	26,62
IS32	3	203,0	12,7	25,3	15,0	15,0	15,0	38,0	36,98	29,03
IS35	3	199,0	9,5	25,0	17,0	11,0	17,0	34,5	30,95	24,30
IS39/3	3	232,5	15,0	31,0	24,0	18,0	24,0	46,0	55,72	43,74
IS40/1	3	247,0	16,5	32,5	24,0	18,0	18,0	49,0	59,86	46,99
IS40	3	253,0	16,5	30,5	25,0	20,5	23,4	47,0	60,32	47,35
IS41	3	217,5	10,0	26,0	21,0	13,5	19,0	36,0	36,65	28,77
IS41/2	3	219,0	10,0	26,0	20,0	14,0	19,0	36,0	35,66	27,99
IS47	3	245,0	22,5	26,5	27,0	27,0	27,0	49,0	70,72	55,51
IS48	3	266,0	30,0	30,0	23,0	20,0	23,5	60,0	88,97	69,84
IS49	3	232,5	11,0	31,0	24,0	18,0	24,0	42,0	46,54	36,53
IS58	3	219,0	8,5	26,0	20,0	14,0	19,0	34,5	32,41	25,44
IS59	3	232,5	11,0	26,0	24,0	18,0	24,0	37,0	42,86	33,65
IS60	3	247,0	11,0	36,0	24,0	18,0	18,0	47,0	51,31	40,28
IS66	3	172,7	7,9	19,1	14,1	18,7	10,7	27,0	23,46	18,42
IS69	3	232,5	13,0	31,0	24,0	18,0	24,0	44,0	51,13	40,14
IS70	3	247,0	13,0	36,0	24,0	18,0	18,0	49,0	56,25	44,15
IS79	3	186,0	8,0	22,0	15,0	15,0	15,0	30,0	24,72	19,41
IS100	3	240,0	12,0	26,5	26,0	18,0	26,0	38,5	45,18	35,46
IS101	3	240,0	15,0	26,5	26,0	18,0	26,0	41,5	52,26	41,03

DIMENSIONI E TOLLERANZE DIMENSIONALI E DI FORMA Dimensions and dimensional and shape tolerances:	TIPI E QUALITÀ DI ACCIAIO Steel grades and types
Secondo specifiche clienti According to customer specifications.	<p>Acciai al boro da bonifica secondo norma UNI EN ISO 683-2 : 2018 "Acciai per trattamento termico, acciai legati e acciai automatici - Parte 2: Acciai legati da bonifica" o secondo specifica cliente.</p> <p>Boron-alloyed quenched and tempered steels in accordance with UNI EN ISO 683-2:2018 "Heat-treatable steels, alloy steels and free-cutting steels – Part 2: Alloy steels for quenching and tempering" or according to customer specifications.</p>